# Mimo Modular Seating Quiet design that you can't help noticing.


Designed by Keiji Takeuchi, the low and loungey Mimo blends residential style and upscale looks with contract-grade performance and specifier flexibility. As impressive as a simple two- or three-seat sofa, modular layout, or stately club chair, it's confident without being showy. Proof that you can make a powerful impression even when speaking quietly.



Mimo's design is built on contrasts: supportive yet soft, compact yet commanding, simple in appearance but technically sophisticated. The sculpted cushions – nicknamed "bellies" by designer Keiji Takeuchi – create inviting comfort. Underneath the surface, precise tailoring and refined engineering do the hard work, allowing Mimo to feel effortless.

Keiji's approach to form is intuitive and iterative. The design began not on paper, but in full-scale models made in his studio — a space divided between quiet reflection upstairs and hands-on model-making downstairs. With Mimo, this symmetry matters. The outer shell gives structure; the interior cushions add comfort. "Like snow settling on a park bench", as Keiji puts it.

Mimo is designed with modern commercial spaces in mind. Specify it in soft fabrics and its residential character comes to the fore. Choose leather and it conveys prestige. Once in place, it holds a room with ease — quiet but loud. It doesn't shout, but it always gets noticed.



## **Product Specification**



### Leg Options



White/black steellegs



NaughtOne RAL powder coated legs



Polished leas

### **Top Options**



Solid oak



Black stained solid oak



White Carrara

### Colours

NaughtOne RAL palette



## Compliance

- FSC® certified products available upon request (FSC® C134222)
- NaughtOne is FISP and ISO14001 certified
- Our seating is designed to meet or exceed all EN performance requirements per BS EN 16139:2013

### Resources

3D visualisation models, 2D DWG and Revit files are available for all NaughtOne products.

Download the files from our website www.naughtone.com

All images shown here and many others can be downloaded from www.naughtone.com or please request a link to our Dropbox account.

### Sizes

All dimensions quoted are rounded to the nearest 5 mm or nearest 1/2 inch



#### NOMMO1C

Mimo Club Chair w845 d775 h645 seat 415 (mm) weight 41.4 kg w33.5 d30.5 h25.5 seat 16.5 (in) weight 91.5 lb



#### NOMMO2LR

Mimo 2 Seat Settee 2 Arms w1550 d775 h645 seat 415 (mm) weight 62.9 kg w61 d30.5 h25.5 seat 16.5 (in) weight 138.5 lb



#### NOMMO2BR

Mimo 2 Seat Settee Right Arm w1550 d775 h645 seat 415 (mm) weight 57.2 kg w61 d30.5 h25.5 seat 16.5 (in) weight 126 lb



#### NOMMO2BB

Mimo 2 Seat Settee No Arms w1550 d775 h645 seat 415 (mm) weight 50.2 kg w61 d30.5 h25.5 seat 16.5 (in) weight 110.5 lb



#### NOMMO2OR

Mimo 2 Pos Ottoman, Right Arm w1550 d775 h645 seat 415 (mm) weight 49.7 kg w61 d30.5 h25.5 seat 16.5 (in) weight 109.5 lb



#### NOMMO2LO

Mimo 2 Pos. Left Arm, Ottoman w1550 d775 h645 seat 415 (mm) weight 49.7 kg w61 d30.5 h25.5 seat 16.5 (in) weight 109.5 lb



#### NOMMO2RL

Mimo 2 Pos. Right Arm, Left Arm w1550 d775 h645 seat 415 (mm) weight 62.9 kg w61 d30.5 h25.5 seat 16.5 (in) weight 138.5 lb



#### NOMMO20B

Mimo 2 Pos. Ottoman, Seat with Back w1550 d775 h645 seat 415 (mm) weight 42.9 kg w61 d30.5 h25.5 seat 16.5 (in) weight 94.5 lb



#### NOMMO2BO

Mimo 2 Pos. Seat With Back, Ottoman w1550 d775 h645 seat 415 (mm) weight 42.9 kg w61 d30.5 h25.5 seat 16.5 (in) weight 94.5 lb



#### NOMMO2RT

Mimo 2 Pos. Right Arm, Table w1550 d775 h645 seat 415 (mm) weight 46.3 kg w61 d30.5 h25.5 seat 16.5 (in) weight 102 lb



NOMMO2LB

Mimo 2 Seat

Settee Left Arm

w1550 d775 h645 seat 415 (mm)

weight 57.2 kg

w61 d30.5 h25.5

seat 16.5 (in)

weight 126 lb

#### NOMMO2TL

Mimo 2 Pos. Table, Left Arm w1550 d775 h645 seat 415 (mm) weight 46.3 kg w61 d30.5 h25.5 seat 16.5 (in) weight 102 lb



#### NOMMO2TB NOMMO2BT

Mimo 2 Pos. Table, Seat Table with Back w1550 d775 h645 seat 415 (mm) weight 40.4 kg w61 d30.5 h25.5 seat 16.5 (in) weight 89 lb



Mimo 2 Pos. Seat with Back. w1550 d775 h645 seat 415 (mm) weight 40.4 kg w61 d30.5 h25.5 seat 16.5 (in) weight 89 lb



#### NOMMO2OT

Mimo 2 Pos. Ottoman, Table w1550 d775 h415 seat 415 (mm) weight 32.6 kg w61 d30.5 h16.5 seat 16.5 (in)



weight 72 lb



#### NOMMO3LBR

Mimo 3 Seat Sofa, 2 Arms w2325 d775 h645 seat 415 (mm) weight 86.2 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 190 lb



#### NOMMO3BBR

Mimo 3 Seat Sofa, Right Arm w2325 d775 h645 seat 415 (mm) weight 80 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 176.5 lb



#### NOMMO3LBB

Mimo 3 Seat Sofa, Left Arm w2325 d775 h645 seat 415 (mm) weight 80 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 176.5 lb



#### **NOMMO3BBB**

Mimo 3 Seat Sofa, No Arm w2325 d775 h645 seat 415 (mm) weight 73.8 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 162.5 lb



Mimo 3 Pos

with Back,

Right Arm

Ottoman, Seat

w2325 d775 h645

seat 415 (mm) weight 72.5 kg

w91.5 d30.5 h25.5

seat 16.5 (in)

weight 160 lb

#### NOMMO30BR NOMMO3LBO

Mimo 3 Pos Left Arm, Seat with Back. Ottoman w2325 d775 h645 seat 415 (mm) weight 72.5 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 160 lb



#### **NOMMO30BB**

Mimo 3 Pos. Ottoman, Seat with Back, Seat with Back w2325 d775 h645 seat 415 (mm) weight 66.3 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 146 lb



#### NОММОЗВВО

Mimo 3 Pos. Seat with Back, Seat with Back, Ottoman w2325 d775 h645 seat 415 (mm) weight 66.3 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 146 lb



#### NOMMO3BOB

Mimo 3 Pos. Seat with Back. Ottoman, Seat with Back w2325 d775 h645 seat 415 (mm) weight 66.3 kg w91 5 d30 5 h25 5 seat 16.5 (in) weight 146 lb



#### NOMMO3VOB

Mimo 3 Pos. Reverse Seat with Back, Ottoman, Seat with Back w2325 d775 h645 seat 415 (mm) weight 66.3 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 146 lb



#### NOMMO3BOV

Mimo 3 Pos. Seat with Back. Ottoman, Reverse Seat with Back w2325 d775 h645 seat 415 (mm) weiaht 66.3 ka w91.5 d30.5 h25.5 seat 16.5 (in) weight 146 lb



#### NOMMO3TBR

Mimo 3 Pos. Table, Seat with Back, Right Arm w2325 d775 h645 seat 415 (mm) weight 70 kg w91 5 d30 5 h25 5 seat 16.5 (in) weight 154.5 lb



#### NOMMO3LBT

Mimo 3 Pos. Left Arm, Seat With Back, Table w2325 d775 h645 seat 415 (mm) weight 70 kg w91 5 d30 5 h25 5 seat 16.5 (in) weight 154.5 lb



#### NOMMO3BRT

Mimo 3 Pos Seat with Back, Right Arm, Table w2325 d775 h645 seat 415 (mm) weight 70 kg w91 5 d30 5 h25 5 seat 16.5 (in) weight 154.5 lb



#### NOMMO3TLB

Mimo 3 Pos. Table, Left Arm, Seat with Back w2325 d775 h645 seat 415 (mm) weight 70 kg w91 5 d30 5 h25 5 seat 16.5 (in) weight 154.5 lb



#### NOMMO3LRT

Mimo 3 Pos. Left Arm, Right Arm, Table w2325 d775 h645 seat 415 (mm) weight 75.6 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 166.5 lb



#### NOMMO3TLR

Mimo 3 Pos. Table, Left Arm, Right Arm w2325 d775 h645 seat 415 (mm) weight 75.6 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 166.5 lb



#### NOMMO3TBB

Mimo 3 Pos. Table, Seat with Back, Seat with Back w2325 d775 h645 seat 415 (mm) weight 62.9 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 138.8 1b



#### NOMMO3BBT

Mimo 3 Pos Seat with Back Seat with Back. Table w2325 d775 h645 seat 415 (mm) weight 62.9 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 138.8 lb



### NOMMO3BTB

Mimo 3 Pos. Seat with Back, Table, Seat with Back w2325 d775 h645 seat 415 (mm) weight 62.9 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 138.8 1b



### NOMMO3VTB

Mimo 3 Pos. Reverse Seat with Back, Table, Seat with Back w2325 d775 h645 seat 415 (mm) weight 62.9 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 138.8 1b



### NOMMO3BTV

Mimo 3 Pos. Seat with Back, Table, Reverse Seat with Back w2325 d775 h645 seat 415 (mm) weight 62.9 kg w91.5 d30.5 h25.5 seat 16.5 (in) weight 138.8 lb



#### NOMMO300T

Mimo 3 Pos. Ottoman, Ottoman, Table w2325 d775 h415 seat 415 (mm) weiaht 48.5 ka w91.5 d30.5 h16.5 seat 16.5 (in) weight 107 lb



#### NOMMO30TO

Mimo 3 Pos. Ottoman, Table, Ottoman w2325 d775 h415 seat 415 (mm) weight 48.5 kg w91.5 d30.5 h16.5 seat 16.5 (in) weight 107 lb



#### NOMMO10

Mimo 1 Seat Ottoman w775 d775 h415 seat 415 (mm) weight 19.8 kg w30.5 d30.5 h16.5 seat 16.5 (in) weight 43.5 lb



### NOMMO200

Mimo 2 Seat Bench w1550 d775 h415 seat 415 (mm) weight 37.5 kg w61 d30.5 h16.5 seat 16.5 (in) weight 78.5 lb



#### NOMM03000

Mimo 3 Seat Bench w2325 d775 h415 seat 415 (mm) weight 51.9 kg w91.5 d30.5 h16.5 seat 16.5 (in) weight 114.5 lb



### NOMMOT05

Mimo Coffee Table 385mm x 775mm w385 d775 h205 weight 10.2 kg w15.5 d30.5 h8 weight 22.5 lb



### NOMMOT10

Mimo Coffee Table 775mm x 775mm w775 d775 h205 weight 15.8 kg w30.5 d30.5 h8 weight 35 lb



#### NOMMOT15

Mimo Coffee Table 1160mm x 775mm w1160 d775 h205 weight 21.4 kg w46 d30.5 h8 weight 47 lb



#### NOMMOT20





Mimo Coffee Table 1550mm x w1550 d775 h205 weight 28.7 kg w61 d30.5 h8 weight 63.5 lb

## **Technical Specification**



## Servicing

If a component is damaged, we will be happy to facilitate any replacements that are required. Please email our team with an image of the damaged part and reference your order number.

### Warranty

NaughtOne offers a 10-year warranty across all products. Details on the terms and conditions of NaughtOne's warranty can be found at www.naughtone.com/warranty

### Flammability

The cold cure foam material has been tested to meet the following standards: British standard: 5852:2006 Part 2 California Technical Bulletin: 117-2013

The flammability standard of the covering fabric is dependent on the choice made by the customer. Details of the flammability rating of specific fabrics can be found on supplier websites.

### Testing

Our chairs are designed to meet or exceed all EN performance requirements as per BS EN 16139:2013, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

### Structural Testing Certifications

#### NOMMO1C

Mimo Club Chair BS EN 16139:2013, Level 2 Static Load 200 kg

#### ENTIRE COLLECTION


ANSI / BIFMA x5.4 (2020) Public and Lounge Seating ANSI / BIFMA x5.5 (2021) Desk and Table Products

#### NOMMO3LBR

Mimo 3 Seat Sofa, 2 Arms BS EN 16139:2013, Level 2 Static Load 200 kg

DESCRIPTION	A WIDTH	B DEPTH	C HEIGHT	D SEAT HEIGHT	E SEAT DEPTH	F SEAT WIDTH	G HEIGHT FROM SEAT TO TOP	H TABLE HEIGHT	I CAD	
Mimo Club Chair	845 mm 33.5 in	775 mm 30.5 in	645 mm 25.5 in	415 mm 16.5 in	605 mm 24 in	525 mm 20.5 in	230 mm 9 in	_		
Mimo Corner (Left/Right Arm)	775 mm 30.5 in	775 mm 30.5 in	645 mm 25.5 in	415 mm 16.5 in	613 mm 24 in	613 mm 24 in	230 mm 9 in	-		
Mimo Back	775 mm 30.5 in	775 mm 30.5 in	645 mm 25.5 in	415 mm 16.5 in	613 mm 24 in	775 mm 30.5 in	230 mm 9 in	_		$\bigcirc$
Mimo Ottoman	775 mm 30.5 in	775 mm 30.5 in	415 mm 16.5 in	415 mm 16.5 in	775 mm 30.5 in	775 mm 30.5 in	=	_		$\bigcirc$
Mimo Table	775 mm 30.5 in	775 mm 30.5 in	205 mm 8 in	_	-	-	-	205 mm 8 in		$\bigcirc$

## Measuring Guide



### **CSR Statement**

We care a great deal about the sustainability of our products. At every stage of the process - from design to manufacturing to shipping - we seek to minimise our environmental impact. Our 10-year warranty speaks of our commitment to making quality, durable furniture that does not need to be regularly replaced. We offer FSC® certified upholstered products and use recycled metals in our table ranges. We have manufacturing facilities in North America to reduce freight miles in our largest market and we offer an innovative Take-Back Programme that enables clients to return products to us at their end of life so we can recycle the parts. We are proud of what we have done, but we are ready to go further.



FSC® certified products available upon request (FSC® C134222)



NaughtOne offers PEFC certified products



Where sustainable sources are quoted and a chain of custody is required by a customer, this must be indicated on the purchase order to NaughtOne. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in this document may vary based on model and options selected.
We have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages.
Material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.

### **Product Sustainability Statement**

Mimo Modular Seating is available in a range of sizes, configurations and finishes, but for the purpose of this document we have a specific example from the range: Mimo Club Chair.

All figures use UK-based industrial manufacturing data. The kg  $\rm CO_2e$  calculations are based on the cradle-to-gate phases of a Life Cycle Assessment at NaughtOne's factory in Elland, UK.


#### Recyclable Content



#### Recycled Content



#### Material Percentage Split




#### **Environmental Attributes**

- NaughtOne is FISP and ISO14001 certified
- FSC® certified products available upon request (FSC® C134222)
- 41.4 kg total weight
- 36.3% Recyclable
- 54.3% Reusable
- 10.6% Recycled Content

These attributes can help you to achieve criteria towards LEED, BREEAM, Ska and WELL building certifications.

#### Life Cycle Assessment



# Mimo Modular Seating Quiet design that you can't help noticing.

### Designed by Keiji Takeuchi

naughtone.com

