Polly Wood

Pleasing design that blends in effortlessly.

Polly Wood is an honest celebration of material and form, designed with simplicity and comfort at its core – an inviting, moulded polypropylene seat resting elegantly on a solid oak or walnut base.



Core Features

Range of chairs and stools.

10 standard seat shell colours.

Moulded using 100% recyclable polypropylene.

Available with upholstered seat pad.

10 year warranty.



Sizes

All dimensions quoted are rounded to the nearest 5 mm or nearest 1/2 inch



POLLYCHWD

Polly Wood Chair w545 d485 h805 seat 450 (mm) w21.5 d19 h32 seat 17.5 (in)



POLLYCHSWD

Polly Wood Counter Height Stool w565 d510 h1010 seat 660 (mm) w22.5 d20 h40 seat 26 (in)



POLLYBSWD

Polly Wood Barstool w575 d555 h1085 seat 750 (mm) w22.5 d22 h42.5 seat 29.5 (in)

Base Options



Solid oak legs

Solid walnut

NaughtOne Shell Colours



Testing

Structural Testing Certifications

POLLYCHWD

Polly wood chair BS EN 15372:2008, Level 2 Static load 200kg

POLLYBSWD

Polly wood barstool BS EN 15372:2008, Level 1 Static load 160kg

Flammability

The cold cure foam material has been tested to meet the following standards:

- British standard:5852: 2006 Part 2
- California Technical Bulletin: 117-2013

The flammability standard of the covering fabric is dependent on the choice made by the customer.

Product Sustainability Statement


Polly Wood is available in a range of sizes, configurations and finishes, but for the purpose of this document we have a specific example from the range: Polly Wood Chair.

All figures use UK-based industrial manufacturing data. The kg $\rm CO_2e$ calculations are based on the cradle-to-gate phases of a Life Cycle Assessment at NaughtOne's factory in Elland, UK.


Recyclable Content



Recycled Content



Material Percentage Split



Environmental Attributes

- NaughtOne is FISP and ISO14001 certified
- FSC® certified products available upon request (FSC® C134222)
- 41.4 kg total weight
- 45.1% Recyclable (shell, feet and fixings)
- 54.9% Reusable (base)
- 7.9% Recycled Content (shell and fixings)

These attributes can help you to achieve criteria towards LEED, BREEAM, Ska and WELL building certifications.

10 year warranty

Our decade-long warranty is proof of our commitment to robust engineering and durable design, built on our belief that long-lasting products are essential to sustainable business practice.

Life Cycle Assessment

